



Mallia™ 10 A Push-buttons complete white

Cat. No(s): 2 810 40/41



2 810 40



2 810 41

1. USE


General lighting control mechanisms with or without marking elements (indicator, label holder).

2. RANGE


	Designation	Cat. No.	Weight (g)	Characteristics
	Push-button N/O contact with bell symbol	2 810 40	56	10 A 250 V~
	Push-button N/O contact	2 810 41	56	10 A 250 V~

Note: N/O contact means normal open and push to make.

3. PREPARATION



4. OVERALL DIMENSIONS



Profile size: 86 x 86
Distance of installation hole: 60.3 mm


5. CONNECTION

5.1 Terminals

Terminal capacity: 4 x 1 mm²
4 x 1.5 mm²
2 x 2.5 mm²
1 x 4 mm²

Recommended screwdriver size: 4 mm flat blade
Recommended terminal tightening torque: 0.5 Nm
Stripping: 12 mm

5.2 Circuit diagram



6. OPERATION

Switch mechanism (handling force 2.6 to 3.5 N).

10 A Push-buttons complete white

7. TECHNICAL CHARACTERISTICS

7.1 Mechanical characteristics

Impact tests: IK04

Protection against liquids: IP41

7.2 Material characteristics

Rocker: Polycarbonate

Support: Polycarbonate

Base: Polypropylene

7.3 Electrical characteristics

Self-extinguishing: 650°C / 30 s

Voltage: 250 VAC

Current: 10 A

7.4 Climatic characteristics

Storage temperatures: - 10°C to + 70°C

Operating temperatures: - 5°C to + 50°C

8. CLEANING

Surface cleaning with a soft, slightly damp cloth.

Do not use: acetone, tar remover, trichloroethylene.

Résistance to the following cleaning agents:

Hexane (EN 60669-1), Methylated spirits, Soapy water, Diluted ammonia, Diluted pure bleach 10 %, Glass cleaning substance, Pre-impregnated wipes

Caution: A preliminary test should be carried out if other specific cleaning products are to be used.

9. ACCESSORIES

Transparent rocker with label holders

2 818 95

1 gang



CAT. N° 2 810 03



SINGLE POLE SWITCH MALLIA - 2 GANG - 2 WAY - 10 AX 250 V~ - WHITE

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	893,00

Product characteristics

Single pole standard switches 10 AX - 250 V~
2 gang - 2-way switch

- White

General characteristics

Mallia™ - single pole switches - complete white

- Conform to BS EN 60669-1
- Polycarbonate front cover plates with a matt finish
- Compact mechanism for greater wiring space
- Supplied with 2 screws M 3.5 for BS boxes
- Supplied complete with plate
- Dim.: 86 x 86 mm

Documentation



Catalogue pages & additional information

- [Description page \(p.560\)](#)



Agreements & certificates of conformity

- [OC / CB - SE-82535](#)
- [OC / CB - SE-82535M1](#)
- [OC / CB - CN51320](#)



Installation & technical data

- [F01403EN-00](#)

CAT. N° 2 810 05



SINGLE POLE SWITCH MALLIA - 3 GANG - 2 WAY - 10 AX 250 V~ - WHITE

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	1 045,00

Product characteristics

Single pole standard switches 10 AX - 250 V~
3 gang - 2-way switch
■ White

General characteristics

Mallia™ - single pole switches - complete white

- Conform to BS EN 60669-1
- Polycarbonate front cover plates with a matt finish
- Compact mechanism for greater wiring space
- Supplied with 2 screws M 3.5 for BS boxes
- Supplied complete with plate
- Dim.: 86 x 86 mm

Documentation



Catalogue pages & additional information

- [Description page \(p.560\)](#)



Agreements & certificates of conformity

- [OC / CB - SE-82535](#)
- [OC / CB - SE-82535M1](#)
- [OC / CB - CN51320](#)



Installation & technical data

- [F01403EN-00](#)

CAT. N° 2 810 08



SINGLE POLE SWITCH MALLIA - 1 GANG - INTERMEDIATE - 10 AX 250 V~ - WHITE

Pack (number of units)	4
Volume (dm ³)	1,676
Weight (g)	390,00

Product characteristics

Single pole standard switches 10 AX - 250 V~
1 gang - intermediate switch
■ White

General characteristics

Mallia™ - single pole switches - complete white
■ Conform to BS EN 60669-1
■ Polycarbonate front cover plates with a matt finish
■ Compact mechanism for greater wiring space
■ Supplied with 2 screws M 3.5 for BS boxes
■ Supplied complete with plate
■ Dim.: 86 x 86 mm

Documentation

 **Catalogue pages & additional information**
■ [Description page \(p.560\)](#)

 **Agreements & certificates of conformity**
■ [OC / CB - CN51795](#)
■ [OC / CB - SE-84291A1/M1](#)
■ [OC / CB - SE-84291](#)
■ [OC / CB - SE-84291M1](#)

 **Installation & technical data**
■ [F01403EN-00](#)

CAT. N° 2 810 01



SINGLE POLE SWITCH MALLIA - 1 GANG - 2 WAY - 10 AX 250 V~ - WHITE

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	742,00

Product characteristics

Single pole standard switches 10 AX - 250 V~
1 gang - 2-way switch

- White

General characteristics

Mallia™ - single pole switches - complete white

- Conform to BS EN 60669-1
- Polycarbonate front cover plates with a matt finish
- Compact mechanism for greater wiring space
- Supplied with 2 screws M 3.5 for BS boxes
- Supplied complete with plate
- Dim.: 86 x 86 mm

Documentation

Catalogue pages & additional information

- [Description page \(p.560\)](#)

Agreements & certificates of conformity

- [OC / CB - SE-82535](#)
- [OC / CB - SE-82535M1](#)
- [OC / CB - CN51320](#)

Installation & technical data

- [F01403EN-00](#)