

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

**Switch for household and similar fixed-electrical installation**

Name and address of the applicant

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

See Annex

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

Series : ARTEOR  
References of switches : see annex  
(References of accessories: see test report n° 154281-718095A)

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR 578292/M2 dated 06/12/2016. Update further to the evolution of the standard(s) and addition of product references

 Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60669-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

87006-578294/1 to 87006-578294/8, 111914-622443, 154281-718095A, 154281-718095B

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)

Date: 20/02/2019

Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX

**Name and address of the factories:**


**LEGRAND (BEIJING) ELECTRICAL Co Ltd**  
N° 4 CHAOQIAN ROAD, CHANGPING DISTRICT KEJIYUANQU  
101214 BEIJING  
CHINA

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX  
FRANCE

**NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PRIVATE LTD**  
A-2, SINNAR – MALEGAON VILLAGE MIDC,  
NASHIK PUNE ROAD, DIST : NASHIK,  
STATE - MAHARASHTRA  
INDIA - 422113



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 20/02/2019


Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX (Continued)

Reference								Rated values	Pattern	Actuating	Module	Specificities
Square				Round								
champagne	Soft alu	White	Magnesium	champagne	Soft alu	White	Magnesium					
		5 720 15	5 725 15					6A-250V~	1	RM	1	Bell symbol
		5 720 56	5 725 26			5 730 80	5 731 80	6A-250V~	1	RM	2	Bell symbol
5 700 00	5 710 00	5 720 00	5 725 00					6A-250V~	1	RM	1	
						5 730 00	5 731 00	6A-250V~	1	RM	1 left	
		5 730 01	5 731 01					6A-250V~	1	RM	1 centre	
						5 730 02	5 731 02	6A-250V~	1	RM	1 right	
		5 720 16	5 725 16					6A-250V~	1	RM	1	Pilot light
		5 720 30	5 725 30			5 730 50	5 731 50	6A-250V~	1	RM	2	
		5 720 01	5 725 01					6A-250V~	6	RM	1	
		5 732 96	5 737 96			5 732 97	5 737 97	6A-250V~	6	RM	1+1	Marking bed light
		5 733 84	5 738 84			5 733 85	5 738 85	6A-250V~	6	RM	1+1	Marking desk light + entrance light
		5 720 31	5 725 31			5 730 51	5 731 51	6A-250V~	6	RM	2	
		5 732 86	5 737 86			5 732 87	5 737 87	6A-250V~	6	RM	2	Marking light
		5 720 02	5 725 02					6A-250V~	6	RM	1	Pilot light
		5 720 32	5 725 32			5 730 52	5 731 52	6A-250V~	6	RM	2	Pilot light
		5 720 03	5 725 03					6A-250V~	6	RM	1	Label holder
5 700 33	5 710 33	5 720 33	5 725 33			5 730 53	5 731 53	6A-250V~	6	RM	2	Label holder
		5 720 40	5 725 40			5 730 65	5 731 65	10AX-250V~	2	R	2	
		5 720 38	5 725 38			5 730 63	5 731 63	10AX-250V~	7	R	2	
5 700 34	5 710 34	5 720 34	5 725 34	5 700 66	5 710 66	5 730 60	5 731 60	10AX-250V~	1	R	2	
5 700 04	5 710 04	5 720 04	5 725 04					10AX-250V~	1	R	1	
				5 700 62	5 710 62	5 730 10	5 731 10	10AX-250V~	1	R	1 left	
		5 730 11	5 731 11					10AX-250V~	1	R	1 centre	



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 20/02/2019


 Signature: **Jean-François BRUEL**  
 Certification Officer

## ANNEX (Continued)

Reference								Rated values	Pattern	Actuating	Module	Specificities
Square				Round								
champagne	Soft alu	White	Magnesium	champagne	Soft alu	White	Magnesium					
				5 700 63	5 710 63	5 730 12	5 731 12	10AX-250V~	1	R	1 right	
		5 724 50						10AX-250V~	1	R	1	red actuator
5 700 35	5 710 35	5 720 35	5 725 35	5 700 67	5 710 67	5 730 61	5 731 61	10AX-250V~	6	R	2	
5 700 05	5 710 05	5 720 05	5 725 05					10AX-250V~	6	R	1	
		5 732 94	5 737 94			5 732 95	5 737 95	10AX-250V~	6	R	1+1	marking bed light
		5 733 82	5 738 82			5 733 83	5 738 83	10AX-250V~	6	R	1+1	marking desk light + entrance light
		5 720 54	5 725 54			5 720 74	5 725 74	10AX-250V~	6	R	1+1	marking do not disturb + Please clean up
				5 700 64	5 710 64	5 730 13	5 731 13	10AX-250V~	6	R	1 left	
		5 730 14	5 731 14					10AX-250V~	6	R	1 centre	
				5 700 65	5 710 65	5 730 15	5 731 15	10AX-250V~	6	R	1 right	
		5 720 06	5 725 06					10AX-250V~	6	R	1	pilot light
		5 720 36	5 725 36			5 730 62	5 731 62	10AX-250V~	6	R	2	pilot light
		5 720 37	5 725 37					10AX-250V~	6	R	2	pilot light + label holder
						5 730 16	5 731 16	10AX-250V~	6	R	1 left	pilot light
		5 730 17	5 731 17					10AX-250V~	6	R	1 centre	pilot light
						5 730 18	5 731 18	10AX-250V~	6	R	1 right	pilot light
		5 720 48	5 725 48			5 730 77	5 731 77	20AX-250V~	6/2	R	2	
		5 732 84	5 737 84			5 732 85	5 737 85	20AX-250V~	6/2	R	2	marking light
		5 720 46	5 725 46			5 730 75	5 731 75	20AX-250V~	2	R	2	
		5 720 47	5 725 47			5 730 76	5 731 76	20AX-250V~	2	R	2	pilot light
		5 720 49	5 725 49			5 730 78	5 731 78	20AX-250V~	2	R	2	pilot light + marking "Water heater"



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 20/02/2019


 Signature: **Jean-François BRUEL**  
 Certification Officer

## ANNEX (Continued)

Reference								Rated values	Pattern	Actuating	Module	Specificities
Square				Round								
champagne	Soft alu	White	Magnesium	champagne	Soft alu	White	Magnesium					
5 700 09	5 710 09	5 720 09	5 725 09					20AX-250V~	1	R	1	
						5 730 20	5 731 20	20AX-250V~	1	R	1 left	
		5 730 21	5 731 21					20AX-250V~	1	R	1 centre	
						5 730 22	5 731 22	20AX-250V~	1	R	1 right	
		5 720 41	5 725 41			5 730 70	5 731 70	20AX-250V~	1	R	2	
		5 720 43	5 725 43			5 730 72	5 731 72	20AX-250V~	1+1+1	R	2	
5 700 10	5 710 10	5 720 10	5 725 10					20AX-250V~	6	R	1	
						5 730 23	5 731 23	20AX-250V~	6	R	1 left	
		5 730 24	5 731 24					20AX-250V~	6	R	1 centre	
						5 730 25	5 731 25	20AX-250V~	6	R	1 right	
		5 720 11	5 725 11					20AX-250V~	6	R	1	pilot light
						5 730 26	5 731 26	20AX-250V~	6	R	1 left	pilot light
		5 730 27	5 731 27					20AX-250V~	6	R	1 centre	pilot light
						5 730 28	5 731 28	20AX-250V~	6	R	1 right	pilot light
		5 720 42	5 725 42			5 730 71	5 731 71	20AX-250V~	6	R	2	pilot light
		5 720 44	5 725 44			5 730 73	5 731 73	20AX-250V~	6+1+6	R	2	
		5 720 50	5 725 50					20A-250V~	3	R	2	
5 700 54	5 710 54	5 722 20	5 727 20			5 732 20	5 737 20	10AX-250V~	6+6	R	2	for rolling shutter
		5 732 22	5 737 22			5 732 23	5 737 23	10AX-250V~	6+6	R	2	for rolling shutter with marking
		5 732 34	5 737 34			5 732 35	5 737 35	10AX-250V~	6+6	R	2	for curtain with marking
		5 722 19	5 727 19			5 732 19	5 737 19	6A-250V~	6+6	RM	2	for rolling shutter
		5 732 24	5 737 24			5 732 25	5 737 25	6A-250V~	6+6	RM	2	for rolling shutter with marking
		5 732 36	5 737 36			5 732 37	5 737 37	6A-250V~	6+6	RM	2	for curtain with marking



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 20/02/2019

Signature: **Jean-François BRUEL**  
 Certification Officer

## ANNEX (End)

Reference								Rated values	Pattern	Actuating	Module	Specificities
Square				Round								
champagne	Soft alu	White	Magnesium	champagne	Soft alu	White	Magnesium					
		5 722 17	5 727 17					10A-250V~	3X1	Rot	2	Mini gap for ventilation


RM: Rocker momentary  
R: Rocker  
Rot: Rotary

## CHARACTERISTICS OF APPLIANCE

pattern number	see tables
contacts opening (gap)	normal gap - mini gap for 5 722 17 - 5 727 17
degree of protection	IP 20 - IP 44 with cover plate 5 751 90
method of actuating	Rocker- momentary contact - rotary see tables
method of mounting	flush type
method of installation	design A
type of terminals	screw type
rated current (A) or (AX)	see tables
Rated voltage	250V~



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 20/02/2019

Signature: **Jean-François BRUEL**  
Certification Officer

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product	<b>HBES Switches</b>
Name and address of the applicant	<b>LEGRAND FRANCE</b> 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the manufacturer	<b>LEGRAND FRANCE</b> 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the factory	See Annex (page 2/6)
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	See Annex (pages 4/6 to 6/6)
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	/
Model / Type Ref.	ARTEOR References : See Annex (pages 3/6 to 6/6)
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60669-1:1998(ed.3) +A1:1999 +A2:2006 IEC 60669-2-1:2002(ed.4) +A1:2008 IEC 60669-2-5:2013
As shown in the Test Report Ref. No. which forms part of this Certificate	154453-711373 155902-722432B 156754-725057A, 156754-725057B

This CB Test Certificate is issued by the National Certification Body



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 08/03/2019

Signature: **Gilles LEMONNIER**  
Certification Officer

## ANNEX

**Name and address of the factories:****LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX  
FRANCE

**SPHERIS TECHNOLOGY CO, LTD.**

9 SAIWEI ROAD, SHUOXI TOWN, HIGH AND NEW TECH DEVELOPMENT ZONE  
338004 XINYU CITY  
JIANGXI PROVINCE  
CHINA

**BTICINO SPA**

4 VIA LUCIANO MANARE  
22036 ERBA  
ITALY

**LEGRAND (BEIJING) ELECTRICAL Co Ltd**

N° 4 CHAOQIAN ROAD, CHANGPING DISTRICT KEJIYUANQU  
101214 BEIJING  
CHINA

**NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PRIVATE LTD**

A-2, SINNAR - MALEGAON VILLAGE MIDC, NASHIK PUNE ROAD, DIST : NASHIK  
422113 STATE-MAHARASHTRA  
INDIA



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 08/03/2019

Signature: **Gilles LEMONNIER**  
Certification Officer



### ANNEX (continued)

#### REFERENCES, RATINGS AND MAIN CHARACTERISTICS

**Mechanisms**

Type reference	References White	Nominal characteristics	Terminals	Pattern	contact opening	Method of mounting	Module	Specificity
ZLG09	5 742 38	100-240V~ 50/60Hz	st	/		flush	2	gateway
ZLE21	5 742 06	3V	/	1	without	surface	2	master switch
ZLE23	5 742 08	3V	/	1	without	surface	2	remote switch up / sleep
ZLS33	5 742 00	16A 100-240V~ 50/60Hz	st	1	micro	flush	1	to be associated with socket outlet
ZLD15	5 742 02	300W 100-240V~ 50/60Hz	st	1	without	flush	2	dimmer / switch
ZLS26	5 742 43	300W 100-240V~ 50/60Hz	st	1	micro	surface	/	micromodule switch
ZLE18	5 742 05	3V	/	1	without	surface	2	remote switch on - off
ZLSH07	5 742 04	500VA 100-240V~ 50/60Hz	st	4	micro	flush	1	roller blind
ZLE20	5 742 07	3V	/	1	without	surface	2	remote switch central roller blind
ZLD16	5 742 01	500W 100-240V~ 50/60Hz	st	6	micro	flush	1	switch with neutral
	5 742 09							pack gateway

**Mechanisms**

Type reference	References Soft alu	Nominal characteristics	Terminals	Pattern	contact opening	Method of mounting	Module	Specificity
ZLG09	5 742 40	100-240V~ 50/60Hz	st	/		flush	2	gateway
ZLE21	5 742 15	3V	/	1	without	surface	2	master switch
ZLE23	5 742 17	3V	/	1	without	surface	2	remote switch up / sleep
ZLS33	5 742 19	16A 100-240V~ 50/60Hz	st	1	micro	flush	1	to be associated with socket outlet
ZLD15	5 742 12	300W 100-240V~ 50/60Hz	st	1	without	flush	2	dimmer / switch
ZLE18	5 742 14	3V	/	1	without	surface	2	remote switch on - off
ZLSH07	5 742 13	500VA 100-240V~ 50/60Hz	st	4	micro	flush	1	roller blind
ZLE20	5 742 16	3V	/	1	without	surface	2	remote switch central roller blind
ZLD16	5 742 11	500W 100-240V~ 50/60Hz	st	6	micro	flush	1	switch with neutral
	5 742 18							pack gateway

st : screw terminal



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 08/03/2019

 Signature: **Gilles LEMONNIER**  
 Certification Officer

**ANNEX (continued)**
**Mechanisms**

Type reference	References	Nominal characteristics	Terminals	Pattern	contact opening	Method of mounting	Module	Specificity
	Magnésium							
ZLG09	5 742 41	100-240V~ 50/60Hz	st	/		flush	2	gateway
ZLE21	5 742 24	3V	/	1	without	surface	2	master switch
ZLE23	5 742 26	3V	/	1	without	surface	2	remote switch up / sleep
ZLS33	5 742 28	16A 100-240V~ 50/60Hz	st	1	micro	flush	1	to be associated with socket outlet
ZLD15	5 742 21	300W 100-240V~ 50/60Hz	st	1	without	flush	2	dimmer / switch
ZLE18	5 742 23	3V	/	1	without	surface	2	remote switch on - off
ZLSH07	5 742 22	500VA 100-240V~ 50/60Hz	st	4	micro	flush	1	roller blind
ZLE20	5 742 25	3V	/	1	without	surface	2	remote switch central roller blind
ZLD16	5 742 20	500W 100-240V~ 50/60Hz	st	6	micro	flush	1	switch with neutral
	5 742 27							pack gateway

**Mechanisms**

Type reference	References	Nominal characteristics	Terminals	Pattern	contact opening	Method of mounting	Module	Specificity
	Champagne							
ZLG09	5 742 42	100-240V~ 50/60Hz	st	/		flush	2	gateway
ZLE21	5 742 33	3V	/	1	without	surface	2	master switch
ZLE23	5 742 35	3V	/	1	without	surface	2	remote switch up / sleep
ZLS33	5 742 37	16A 100-240V~ 50/60Hz	st	1	micro	flush	1	to be associated with socket outlet
ZLD15	5 742 30	300W 100-240V~ 50/60Hz	st	1	without	flush	2	dimmer / switch
ZLE18	5 742 32	3V	/	1	without	surface	2	remote switch on - off
ZLSH07	5 742 31	500VA 100-240V~ 50/60Hz	st	4	micro	flush	1	roller blind
ZLE20	5 742 34	3V	/	1	without	surface	2	remote switch central roller blind
ZLD16	5 742 29	500W 100-240V~ 50/60Hz	st	6	micro	flush	1	switch with neutral
	5 742 36							pack gateway

st : screw terminal

**Characteristics of appliances**

pattern number	1, 4, 6 - see table
degree of protection	IP 20
method of installation	design A



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Signature: **Gilles LEMONNIER**  
 Certification Officer

Date: 08/03/2019

**ANNEX (continued)**

Rated current (A) - rated load (VA or W) :  
for 240V~

ZLS26 - ZLD15 :

300 W halogen lamps  
60 W LED or 10 lamps  
60 W fluorescent compact lamps  
300 VA feromagnetic transformers for ELV halogen lamps  
300 VA electronic transformers for ELV halogen lamps

ZLD16 :

500 W halogen lamps  
100 W LED or 10 lamps  
100 W fluorescent compact lamps  
250 VA feromagnetic transformers for ELV halogen lamps  
250 VA electronic transformers for ELV halogen lamps

ZLS33 :

3680W cos  $\varphi$  0,8

ZLSH07 :

500 VA motor

Minimum current (A) - minimum load (VA or W) : ZLS26 - ZLD15 : 5W

**ACCESSORIES****Blank**

Reference	Designation
5 723 41	1 module square, white
5 728 41	1 module square, graphite
5 700 60	1 module square champagne
5 710 60	1 module square soft alu

**Frames**

Reference	Designation
-----------	-------------

**Type BS**

5 760 03	2 modules 1 gang
5 760 01	3 modules 1 gang
5 760 02	3 modules 2 gang
5 760 00	2x2 modules 2 gang

**Type French-German**

5 760 21	2 modules
5 760 20	2 modules with claws
5 760 11	4 modules



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 08/03/2019

Signature: **Gilles LEMONNIER**  
Certification Officer

**ANNEX (end)****Type US-Italian**

5 760 40	3 modules
----------	-----------

**Type US**

5 760 30	2 modules
----------	-----------

Designation	frame	White	Champagne	Magnesium	Soft alu
<b>Type BS</b>					
1 module square	5 760 03	5 752 00	5 713 21	5 713 11	5 713 01
2 modules square	5 760 03 / 5 760 01	5 752 10	5 713 22	5 713 12	5 713 02
3 modules square	5 760 02	5 750 70			
3 modules square	5 760 01	5 751 60	5 713 23	5 713 13	5 713 03
<b>Type French-German</b>					
1 module square	5 760 21 / 5 760 20	5 765 40	5 715 81	5 765 47	5 715 61
2 modules square	5 760 21 / 5 760 20	5 765 60	5 715 82	5 765 67	5 715 62
4 modules square	5 760 11	5 750 30	5 714 34	5 750 37	5 714 14
<b>Type US-Italian</b>					
1 module square Italian	5 760 40	5 752 20	5 714 31	5 752 27	5 714 11
1 module square US	5 760 40	5 752 40	5 715 01	5 714 91	5 714 81
2 modules square Italian	5 760 40	5 752 30	5 714 32	5 752 37	5 714 12
2 modules square US	5 760 30 / 5 760 40	5 752 50	5 715 02	5 714 92	5 714 82
3 modules square Italian	5 760 40	5 750 10	5 714 33	5 750 17	5 714 13
3 modules square US	5 760 40	5 752 70	5 715 03	5 714 93	5 714 83



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)

Date: 08/03/2019

Signature:  Certification Officer



## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME


## CB TEST CERTIFICATE

Product	<b>Fixed socket-outlet</b>
Name and address of the applicant	<b>LEGRAND FRANCE</b> 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the manufacturer	<b>LEGRAND FRANCE</b> 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the factory	See Annex
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	See Annex
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	/
Model / Type Ref.	Series : ARTEOR References : See Annex
Additional information (if necessary may also be reported on page 2)	Supersedes CBTC FR_705030 dated 20/02/2019. Editorial correction <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013
As shown in the Test Report Ref. No. which forms part of this Certificate	154281-718093, 60048013-548589, 87008-578303

This CB Test Certificate is issued by the National Certification Body



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

Signature: **Jean-François BRUEL**  
Certification Officer



Ref. Certif. No.

FR\_705030/A1

## ANNEX

### Name and address of the factories:

**LEGRAND (BEIJING) ELECTRICAL Co Ltd**  
N° 4 CHAOQIAN ROAD, CHANGPING DISTRICT KEJIYUANQU  
101214 BEIJING  
CHINA


**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX  
FRANCE

**LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT**  
IPARTELEPI UT 14 PF 10  
6600 SZENTES  
HUNGARY

**NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PRIVATE LTD**  
A-2, SINNAR - MALEGAON VILLAGE MIDC,  
NASHIK PUNE ROAD, DIST : NASHIK,  
STATE - MAHARASHTRA  
INDIA - 422113



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX (continued)

## REFERENCES – MAIN CHARACTERISTICS

## Mechanism

References					Characteristics	Function	specificities
Champagne	Soft alu	Square		Red			
		White	Magnesium				
		5 720 20	5 725 20		16A – 250V~	2P	
5 700 21	5 710 21	5 720 21	5 725 21		16A – 250V~	2P+E	
				5 724 66	16A – 250V~	2P+E	Tamperproof

## Characteristics

standard sheet	I / V CEE7
Rated current (A)	16A
Rated voltage (V)	250V~
Degree of protection	IP20 / IP44 with cover plate 5 751 90
Provision of earthing	See table
Method of connecting the cable	rewirable
Type of terminals	screw type
Degree of protection against electric shock	Increased protection
existence of shutters	with shutter
Method of mounting	Flush type
Method of installation	design A


## Accessories :

## Blank

References	Désignation
5 723 41	1 module square
5 728 41	1 module square
5 700 60	1 module square
5 710 60	1 module square
5 723 42	2 modules square
5 728 42	2 modules square
5 700 61	2 modules square
5 710 61	2 modules square
5 723 43	3 modules square
5 728 43	3 modules square



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

Signature: **Jean-François BRUEL**  
Certification Officer


## ANNEX (continued)

## Frame

References	Designation
<b>Type BS</b>	
5 760 03	2 modules 1 gang
5 760 01	3 modules 1 gang
5 760 02	3 modules 2 gang
5 760 00	2x2 modules 2 gang
<b>Type French / German</b>	
5 760 21	2 modules
5 760 20	2 modules with claws
5 760 11	4 modules
5 760 12	6 modules
5 760 22	2x6 modules
5 760 13	2 modules for rail DIN
5 760 15	1 module thin wall
5 760 16	2 modules thin wall
<b>Type US / Italia</b>	
5 760 40	3 modules
<b>Type US</b>	
5 760 30	2 modules
5 760 31	4 modules
5 760 32	2x3 modules



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

Signature: **Jean-François BRUEL**  
Certification Officer




## ANNEX (continued)

Cover plate  
Type BS

Frame	Designation	Neutral							Tattoo	Signature	
		White	Pearl alu	Graphite	Soft alu	Champagne	Dark bronze	Magnesium	Edition 1	Woven Metal	Cube
5 760 03 / 5 760 01	2 modules square	5 752 10	5 752 11	5 752 12	5 713 02	5 713 22	5 713 32	5 713 12	5 761 28	5 761 27	5 714 02
5 760 00	2x2 modules square	5 750 80	5 750 81	5 750 82	5 713 04	5 713 24	5 713 34	5 713 14	5 761 48	5 761 47	
5 760 02	3 modules square	5 750 70	5 750 71	5 750 72					5 761 68	5 761 67	
5 760 01	3 modules square	5 751 60	5 751 61	5 751 62	5 713 03	5 713 23	5 713 33	5 713 13	5 761 88	5 761 87	5 714 03
5 760 03 / 5 760 01	1 gang blank	5 751 30	5 751 31	5 751 32	5 716 08	5 716 12	5 716 14	5 716 10			
5 760 02 / 5 760 00	2 gang blank	5 751 40	5 751 41	5 751 42	5 716 09	5 716 13	5 716 15	5 716 11			
	2 modules IP44	5 751 90									



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX (continued)

Frame	Designation	Graphic		Brushed metal				Reflective metal		
		Casual	Formal	Gold brass	Stainless steel	Black	Pink champagne	Reflective Stainless steel	Reflective gold	Reflective black
5 760 03 / 5 760 01	2 modules square	5 761 21	5 761 22	5 761 20	5 752 16	5 713 42	5 713 52	5 713 62	5 713 72	5 713 82
5 760 00	2x2 modules square	5 761 41	5 761 42	5 761 40	5 750 86	5 713 44	5 713 54	5 713 64	5 713 74	5 713 84
5 760 02	3 modules square	5 761 61	5 761 62	5 761 60	5 750 76					
5 760 01	3 modules square	5 761 81	5 761 82	5 761 80	5 751 66	5 713 43	5 713 53	5 713 63	5 713 73	5 713 83


Frame	Designation	Leather		Mirror				Wood		
		Club	Galuchat	Mirror black	Mirror red	Mirror taupe	Mirror white	Wenge Style	Light Oak	Grey Aok
5 760 03 / 5 760 01	2 modules square	5 761 23	5 761 24	5 752 13	5 761 26	5 761 25	5 752 14	5 752 15	5 761 29	5 713 92
5 760 00	2x2 modules square	5 761 43	5 761 44	5 750 83	5 761 46	5 761 45	5 750 84	5 750 85	5 761 49	5 713 94
5 760 02	3 modules square	5 761 63	5 761 64	5 750 73	5 761 66	5 761 65	5 750 74	5 750 75	5 761 69	
5 760 01	3 modules square	5 761 83	5 761 84	5 751 63	5 761 86	5 761 85	5 751 64	5 751 65	5 761 89	5 713 93

## Type French / German

Frame	Designation	Neutral							Tattoo	Signature	
		White	Pearl alu	Graphite	Soft alu	champagne	Dark bronze	Magnesium	Edition 1	Woven Metal	Cube
5 760 21 / 5 760 20	2 modules square	5 765 60	5 765 61	5 765 62	5 715 62	5 715 82	5 715 92	5 765 67	5 762 48	5 762 47	5 715 80
5 760 21	2x2 modules square	5 750 20	5 750 21	5 750 22	5 715 63	5 715 83	5 715 93	5 750 27	5 762 68	5 762 67	5 714 04
5 760 22	2x6 modules square	5 750 60	5 750 61	5 750 62	5 715 65	5 715 85	5 715 95	5 715 75			
5 760 21	3x2 modules square	5 750 50	5 750 51	5 750 52	5 715 64	5 715 84	5 715 94	5 750 57			
5 760 11	4 modules square	5 750 30	5 750 31	5 750 32	5 714 14	5 714 34	5 714 44	5 750 37	5 762 78	5 762 77	
5 760 12	6 modules square	5 750 40	5 750 41	5 750 42	5 714 15	5 714 35	5 714 45	5 750 47	5 762 88	5 762 87	



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

 Signature: **Jean-François BRUEL**  
 Certification Officer

## ANNEX (continued)

Frame	Designation	Graphic		Brushed metal				Reflective metal		
		Casual	Formal	Gold brass	Stainless steel	Black	Pink champagne	Reflective Stainless steel	Reflective gold	Reflective black
5 760 21 / 5 760 20	2 modules square	5 762 41	5 762 42	5 762 40	5 765 66	5 715 57	5 715 67	5 715 77	5 715 87	5 715 97
5 760 21	2x2 modules square	5 762 61	5 762 62	5 762 60	5 750 26	5 715 58	5 715 68	5 715 78	5 715 88	5 715 98
5 760 21	3x2 modules square				5 750 56	5 715 59	5 715 69	5 715 79	5 715 89	5 715 99
5 760 11	4 modules square	5 762 71	5 762 72	5 762 70	5 750 36	5 714 19	5 714 29	5 714 39	5 714 49	5 714 59
5 760 12	6 modules square	5 762 81	5 762 82	5 762 80	5 750 46	5 714 20	5 714 30	5 714 40	5 714 50	5 714 60


Frame	Designation	Leather		Mirror				Wood		
		Club	Galuchat	Mirror black	Mirror red	Mirror taupe	Mirror white	Wenge Style	Light Oak	Grey Aok
5 760 21 / 5 760 20	2 modules square	5 762 43	5 762 44	5 765 63	5 762 46	5 762 45	5 765 64	5 765 65	5 762 49	5 715 60
5 760 21	2x2 modules square	5 762 63	5 762 64	5 750 23	5 762 66	5 762 65	5 750 24	5 750 25	5 762 69	5 715 70
5 760 21	3x2 modules square			5 750 53			5 750 54			
5 760 11	4 modules square	5 762 73	5 762 74	5 750 33	5 762 76	5 762 75	5 750 34	5 750 35	5 762 79	5 714 69
5 760 12	6 modules square	5 762 83	5 762 84	5 750 43	5 762 86	5 762 85	5 750 44	5 750 45	5 762 89	5 714 70

## Type US / Italia

Frame	Designation	Neutral							Tattoo	Signature	
		White	Pearl alu	Graphite	Soft alu	Champagne	Dark bronze	magnesium	Edition 1	Woven Metal	Cube
5 760 40	2 modules square Italia	5 752 30	5 752 31	5 752 32	5 714 12	5 714 32	5 714 42	5 752 37	5 764 38	5 764 37	5 714 77
5 760 30 / 5 760 40	2 modules square US	5 752 50	5 752 51	5 752 52	5 714 82	5 715 02	5 715 12	5 714 92			
5 760 31	2 modules square US	5 752 60	5 752 61	5 752 62	5 714 86	5 715 06	5 715 16	5 714 96	5 766 28	5 766 27	5 715 52
5 760 32	2x3 modules square US	5 753 00	5 753 01	5 753 02	5 714 88	5 715 08	5 715 18	5 714 98	5 766 78		
5 760 40	3 modules square Italia	5 750 10	5 750 11	5 750 12	5 714 13	5 714 33	5 714 43	5 750 17	5 764 58	5 764 57	
5 760 40	3 modules square US	5 752 70	5 752 71	5 752 72	5 714 83	5 715 03	5 715 13	5 714 93			
5 760 31	3 modules square US	5 752 80	5 752 81	5 752 82	5 714 87	5 715 07	5 715 17	5 714 97	5 766 48	5 766 47	5 715 53
5 760 31	4 modules square US	5 752 90	5 752 91	5 752 92	5 714 84	5 715 04	5 715 14	5 714 94	5 766 58		
5 760 30 / 5 760 40	blank 2"x4"	5 754 10	5 754 11	5 754 12	5 714 10	5 714 53	5 714 51	5 714 52			
5 760 31 / 5 760 32	blank 4"x4"	5 753 60	5 753 61	5 753 62							



LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019

 Signature: **Jean-François BRUEL**  
 Certification Officer


## ANNEX (continued)

Frame	Designation	Graphic		Brushed metal				Reflective metal		
		Casual	Formal	Gold brass	Stainless steel	Black	Pink champagne	Reflective Stainless steel	Reflective gold	Reflective black
5 760 40	2 modules square Italia	5 764 31	5 764 32	5 764 30	5 752 56	5 714 17	5 714 27	5 714 37	5 714 47	5 714 57
5 760 30 / 5 760 40	2 modules square US									
5 760 31	2 modules square US	5 766 21	5 766 22	5 766 20	5 752 66	5 715 22	5 715 27	5 715 32	5 715 37	5 715 42
5 760 32	2x3 modules square US	5 766 71	5 766 72	5 766 70	5 753 06	5 715 25	5 715 30	5 715 35	5 715 40	5 715 45
5 760 40	3 modules square Italia	5 764 51	5 764 52	5 764 50	5 752 76					
5 760 40	3 modules square US									
5 760 31	3 modules square US	5 766 41	5 766 42	5 766 40	5 752 86	5 715 23	5 715 28	5 715 33	5 715 38	5 715 43
5 760 31	4 modules square US	5 766 51	5 766 52		5 752 96	5 715 24	5 715 29	5 715 34	5 715 39	5 715 44

Frame	Designation	Leather		Mirror				Wood		
		Club	Galuchat	Mirror black	Mirror red	Mirror taupe	Mirror white	Wenge Style	Light Oak	Grey Aok
5 760 40	2 modules square Italia	5 764 33	5 764 34	5 752 53	5 764 36	5 764 35	5 752 54	5 752 55	5 764 39	5 714 67
5 760 30 / 5 760 40	2 modules square US									
5 760 31	2 modules square US	5 766 23	5 766 24	5 752 63	5 766 26	5 766 25	5 752 64	5 752 65	5 766 29	5 715 47
5 760 32	2x3 modules square US			5 753 03	5 766 76	5 766 75	5 753 04			
5 760 40	3 modules square Italia	5 764 53	7 764 54	5 752 73	5 764 56	5 764 55	5 752 74	5 752 75	5 764 59	
5 760 40	3 modules square US									
5 760 31	3 modules square US	5 766 43	5 766 44	5 752 83	5 766 46	5 766 45	5 752 84	5 752 85	5 766 49	5 715 48
5 760 31	4 modules square US			5 752 93	5 766 56	5 766 55	5 752 94			



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Signature: **Jean-François BRUEL**  
Certification Officer

Date: 22/03/2019


## ANNEX (continued)

Cover plate + frame  
Type India

Designation	Neutral							Brushed metal		
	White	Pearl alu	Graphite	Soft alu	Champagne	Dark bronze	Magnesium	Stainless steel	black	Pink champagne
2 modules square	5 757 10	5 757 11	5 757 12					5 757 16		
2x4 modules square	5 757 60	5 757 61	5 757 62					5 757 66		
2x6 modules square	5 753 90	5 753 91	5 753 92	5 716 00	5 716 04	5 716 06	5 716 02	5 753 96		
	5 757 70	5 757 71	5 757 72					5 757 76		
2x8 modules square	5 757 80	5 757 81	5 757 82							
3 modules square	5 757 20	5 757 21	5 757 22					5 757 26		
3x6 modules square	5 754 00	5 754 01	5 754 02	5 716 01	5 716 05	5 716 07	5 716 03			
	5 757 90	5 757 91	5 757 92							
3x8 modules square	5 758 00	5 758 01	5 758 02							
4 modules square	5 757 30	5 757 31	5 757 32					5 757 36		
6 modules square	5 757 40	5 757 41	5 757 42					5 757 46		
6 modules square	5 753 70	5 753 71	5 753 72	5 713 06	5 713 26	5 713 36	5 713 16	5 753 76	5 713 46	5 713 56
8 modules square	5 757 50	5 757 51	5 757 52					5 757 56		
2 modules blank	5 758 10									



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 22/03/2019


Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX (end)

Designation	Reflective metal			Mirror		Wood		Signature
	Reflective Stainless steel	Reflective gold	Reflective black	Mirror black	Mirror white	Wenge Style	Grey oak	Cube
2 modules square				5 757 13	5 757 14	5 757 15		
2x4 modules square				5 757 63	5 757 64			
2x6 modules square				5 757 73	5 757 74			
2x8 modules square								
3 modules square				5 757 23	5 757 24	5 757 25		
3x6 modules square								
3x8 modules square								
4 modules square				5 757 33	5 757 34	5 757 35		
6 modules square				5 757 43	5 757 44			
6 modules square	5 713 66	5 713 76	5 713 86	5 753 73	5 753 74	5 753 75	5 713 96	5 714 06
8 modules square				5 757 53	5 757 54			
2 modules blank								



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Signature: **Jean-François BRUEL**  
Certification Officer

Date: 22/03/2019

DECLARATION UE DE CONFORMITE  
EU DECLARATION OF CONFORMITY

n° A 3812 B

Page 1/2

Nous **LEGRAND FRANCE**  
We **128, Avenue du Maréchal de Lattre-de-Tassigny - 87045 LIMOGES CEDEX - FRANCE**

déclarons sous notre seule responsabilité que le(s) produit(s) :  
*declare under our sole responsibility that the product(s) :*

marque / trade mark : **LEGRAND**  
*Références voir annexe / references see annex*

désignation : **Interrupteurs HBES - gamme ARTEOR**  
*designation : HBES switches - ARTEOR serie*

fabriqué(s) par : **LEGRAND**  
*manufactured by : BP 30076*  
**87002 LIMOGES CEDEX FRANCE**

est (sont) conforme(s) à la législation d'harmonisation de l'Union applicable :

**2014/53/UE du 16 Avril 2014 (RED)**

**2011/65/UE du 08 Juin 2011 (RoHS 2)**

sous réserve d'une utilisation conforme à sa destination et/ou d'une installation conforme aux normes en vigueur et/ou aux recommandations du constructeur.

**Ces dispositions sont assurées par la conformité à la (aux) norme(s) suivante(s) :**

IEC 60669-1 (1998) + A1 (1999) + A2 (2006)  
IEC 60669-2-1 (2002) + A1 (2008)  
IEC 60669-2-5 (2013)  
ETSI EN 300328V2.1.1 (2016)  
EN 62311 (2008)  
EN 301 489-1 V1.9.2 (2011)  
EN 301 489-17 V3.2.0 (2017)

*is (are) in conformity with the relevant Union harmonisation legislation :*

**2014/53/EU of 16 April 2014 (RED)**

**2011/65/EU of 08 June 2011 (RoHS 2)**

*on condition that it is (they are) used in the manner intended and/or in accordance with the current installation standards and/or with the manufacturer's recommendations.*

**These provisions are ensured by conformity to the following standard(s) :**

IEC 60669-1 (1998) + A1 (1999) + A2 (2006)  
IEC 60669-2-1 (2002) + A1 (2008)  
IEC 60669-2-5 (2013)  
ETSI EN 300328V2.1.1 (2016)  
EN 62311 (2008)  
EN 301 489-1 V1.9.2 (2011)  
EN 301 489-17 V3.2.0 (2017)

LIMOGES, 18/04/2019

**S. POUZIN**

Directeur Développement et Technologies SBU Interface Utilisateur  
*Development and Technologies Director User Interface SBU*

*B. Puzin*

DECLARATION **UE** DE CONFORMITE  
**EU** DECLARATION OF CONFORMITY

n° A 3812 B

ANNEXE / ANNEX

Page 2/2

ZLD15, ZLD16, ZLE18, ZLE20, ZLE21, ZLE23, ZLG09, ZLS26, ZLS33, ZLSH07, 5 742 00, 5 742 01, 5 742 02, 5 742 04, 5 742 05, 5 742 06, 5 742 07, 5 742 08, 5 742 09, 5 742 11, 5 742 12, 5 742 13, 5 742 14, 5 742 15, 5 742 16, 5 742 17, 5 742 18, 5 742 19, 5 742 20, 5 742 21, 5 742 22, 5 742 23, 5 742 24, 5 742 25, 5 742 26, 5 742 27, 5 742 28, 5 742 29, 5 742 30, 5 742 31, 5 742 32, 5 742 33, 5 742 34, 5 742 35, 5 742 36, 5 742 37, 5 742 43

**+ accessoires / accessories :**

5 723 41, 5 728 41, 5 700 60, 5 710 60, 5 760 03, 5 760 01, 5 760 02, 5 760 00, 5 760 21, 5 760 20, 5 760 11, 5 760 40, 5 760 30, 5 752 00, 5 752 10, 5 750 70, 5 751 60, 5 713 21, 5 713 22, 5 713 11, 5 713 12, , 5 713 13, , 5 713 23, 5 713 01, 5 713 02, , 5 713 03, 5 765 40, 5 765 60, 5 750 30, 5 715 81, 5 715 82, 5 714 34, 5 765 47, 5 765 67, 5 750 37, 5 715 61, 5 715 62, 5 714 14, 5 752 20, 5 752 40, 5 752 30, 5 752 50, 5 750 10, 5 752 70, 5 714 31, 5 715 01, 5 714 32, 5 715 02, 5 714 33, 5 715 03, 5 752 27, 5 714 91, 5 752 37, 5 714 92, 5 750 17, 5 714 93, 5 714 11, 5 714 81, 5 714 12, 5 714 82, 5 714 13, 5 714 83





Ref. Certif. No.

FR 692863

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE / CERTIFICAT D'ESSAI OC**Product  
Produit

Fixed socket-outlet

Name and address of the applicant  
Nom et adresse du demandeur**LEGRAND FRANCE**128, avenue du Maréchal de Lattre de Tassigny, B.P. 523 - 87045 LIMOGES  
CEDEX - FranceName and address of the manufacturer  
Nom et adresse du fabricant**LEGRAND FRANCE**128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045 LIMOGES  
CEDEX - FranceName and address of the factory  
Nom et adresse de l'usine

See annex 1

Note : When more than one factory, please report on page 2  
Note : Lorsqu'il y a plus d'une usine, veuillez utiliser la 2ème pageRatings and principal characteristics  
Valeurs nominales et caractéristiques principales

15 A, 127 V~

Trademark (if any)  
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

/

Model / Type Ref.  
Ref. De typeSeries ARTEOR  
References see annex 2Additional information (if necessary may also be  
reported on page 2)  
Informations complémentaires (si nécessaire, peuvent  
être indiquées sur la 2ème page)See annex 1  
Supersedes the CBTC n° FR 649931 dated 2014-11-27 (addition of  
references and factory)A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la**PUBLICATION****EDITION**

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

144485-692864, LGB-09JA043ACSP, 124327-649933

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification****Laboratoire Central des Industries Électriques**33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
www.lcie.fr

Date:

2016-11-30

Signature:

Jean-François BRUEL  
Certification Officer



## Annex 1 : List of Manufacturers and Factories

Fixed socket-outlet

Factory	Manufacturer
<b>LEGRAND BEIJING ELECTRICAL Co., Ltd</b> N° 4 Chaoqian Road, Ke Ji Yuan Qu, Chang Ping District, 102200 BEIJING, China	<b>LEGRAND FRANCE</b> 128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045 LIMOGES CEDEX - France
<b>Novateur electrical &amp; Digital of Sinnar Works</b> Plot No, A-2, MIDC, Malegaon Village SINNAR, District : NASIK - 422113 SINNAR - India	<b>LEGRAND FRANCE</b> 128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045 LIMOGES CEDEX - France

Additional Information (if necessary)  
Informations complémentaires (si nécessaire)



**Laboratoire Central des Industries Électriques**  
33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
www.lcie.fr

Date: 2016-11-30

Signature: Jean-François BRUEL  
Certification Officer





## Annex 2

## RATING AND MAIN CHARACTERISTICS

## Mechanism

References				Characteristics	Function	Specificities
Square						
Champagne	Soft alu	White	Magnesium			
/	/	5 721 05	5 726 05	15 A – 127 V~	2P polarized	1 module
5 700 40	5 710 40	5 721 17	5 726 17	15 A – 127 V~	2P+E	2 modules
5 700 47	5 710 47	5 721 34	5 726 34	15 A – 127 V~	2 x 2P+E	3 modules

## Characteristics

Standard sheet	1-15 and 5-15 (NEMA WD6)
rated current	15A
rated voltage	127V~
degree of protection	IP20
provision for earthing	see table above
method of connecting the cable	rewirable
terminals	screw-type
degree of protection against electric shock	normal protection
Existence of shutters	without shutter
method of application - mounting	flush type
method of installation	design A

## Accessories

## Frame

Reference	Designation
5 760 01	3 modules 1 gang BS
5 760 40	3 modules US

## Cover plate

Neutral		Frame	Designation
White	Graphite		
5 752 00	5 752 02	5 760 01	1 Module square BS
5 752 10	5 752 12	5 760 01	2 Modules square BS
5 751 60	5 751 62	5 760 01	3 Modules square BS
5 752 40	5 752 42	5 760 40	1 Module square US
5 752 50	5 752 52	5 760 40	2 Modules square US
5 752 70	5 752 72	5 760 40	3 Modules square US

Additional Information (if necessary)  
Informations complémentaires (si nécessaire)



**Laboratoire Central des Industries Électriques**  
33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
www.lcie.fr

Date:

2016-11-30

Signature:

Jean-François BRUEL  
Certification Officer

