

CAT. N° 5 721 43



SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED- 1-GANG - WHITE

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	808,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- White

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 43



SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED- 1-GANG - MAGNESIUM

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	956,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- Magnesium

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 700 48

**SINGLE POLE SOCKET 2P+E SWITCHED 1 GANG ARTEOR
13 A 250 V~ CONFORM TO BS 1363:2 - CHAMPAGNE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	808,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 710 48



SINGLE POLE SOCKET 2P+E SWITCHED 1 GANG ARTEOR 13 A 250 V~ CONFORM TO BS 1363:2 - ALU

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	792,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- Alu

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information


- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461/M1](#)
- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)

CAT. N° 5 721 44

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 1-GANG -WHITE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	966,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 1 gang

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 44



SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 1-GANG - MAGNESIUM

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	956,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 1 gang

- Magnesium

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 724 45

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 1-GANG - CHAMPAGNE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	825,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 1 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 724 44

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 1-GANG - SOFT ALU**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	824,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 1 gang


- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 45

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED- 2-GANG - WHITE**

Pack (number of units)	5
Volume (dm ³)	2,949
Weight (g)	688,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed


Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 45

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E
SWITCHED- 2-GANG - MAGNESIUM**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	704,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- Magnesium

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 700 49

**SINGLE POLE SOCKET 2P+E SWITCHED 2 GANG ARTEOR
13 A 250 V~ CONFORM TO BS 1363:2 - CHAMPAGNE**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	704,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 710 49



SINGLE POLE SOCKET 2P+E SWITCHED 2 GANG ARTEOR 13 A 250 V~ CONFORM TO BS 1363:2 - ALU

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	701,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- Alu

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 721 46



SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 2-GANG -WHITE

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	800,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 2 gang

- White

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 46



SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 2-GANG - MAGNESIUM

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	830,00

Product characteristics

Single pole socket outlets 13 A - 250 V~

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 2 gang

- Magnesium

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)



Agreements & certificates of conformity

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 724 47

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED+NEON - 2-GANG - CHAMPAGNE**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	718,00

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 2 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 724 46

**SINGLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E
SWITCHED+NEON - 2-GANG - SOFT ALU**

Pack (number of units)	O/R
Volume (dm ³)	O/R
Weight (g)	O/R

Product characteristics**Single pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched + neon - 2 gang

- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 47

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A - 2P+E SWITCHED - 1-GANG - WHITE**

Pack (number of units)	5
Volume (dm ³)	1,756
Weight (g)	422,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 47

**DOUBLE POLE SOCKET OUTLET ARTEOR - BS 1363:2 - 13 A - 2P+E SWITCHED- 1-GANG - MAGNESIUM**

Pack (number of units)	5
Volume (dm ³)	1,756
Weight (g)	423,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- Magnesium

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 724 49

**DOUBLE POLE SOCKET OUTLET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED- 1-GANG - CHAMPAGNE**

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	426,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 724 48

**DOUBLE POLE SOCKET OUTLET ARTEOR - BS 1363:2 - 13 A- 2P+E SWITCHED- 1-GANG - SOFT ALU**

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	423,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 1 gang


- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 49

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A - 2P+E SWITCHED TWIN E- 2-GANG -WHITE**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	740,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed


Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 726 49

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A - 2P+E
SWITCHED TWIN E- 2-GANG - MAGNESIUM**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	727,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- Magnesium

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed


Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [OC / CB - FR_707461](#)
- [ASTA - 1068](#)
- [OC / CB - FR_707461/M1](#)

CAT. N° 5 710 70

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E
SWITCHED TWIN E- 2-GANG - CHAMPAGNE**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	725,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang


- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 700 70

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A- 2P+E
SWITCHED TWIN E- 2-GANG - SOFT ALU**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	723,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang


- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 41

**DOUBLE POLE SOCKET ARTEOR - BS 1363:2 - 13 A - 2P+E SWITCHED - 2-GANG - RED**

Pack (number of units)	5
Volume (dm ³)	2,948
Weight (g)	754,00

Product characteristics**Double pole socket outlets 13 A - 250 V~**

- Shuttered for child safety
- ASTA licence
- Conform to BS 1363 Part 2
- Use special plates

2P+E switched - 2 gang

- Red for standard and clean earth applications
- Non standard pin configuration

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 721 40

**DOUBLE POLE SOCKET ARTEOR - BS 546 - 5 A - 2P+E SWITCHED - 1-GANG - WHITE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	811,00

Product characteristics**Double pole socket outlets 5 A - 250 V~**

- Shuttered for child safety
- Conform to BS 546
- Use special plates

2P+E switched - 1 gang

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 726 40

**DOUBLE POLE SOCKET ARTEOR - BS 546 - 5 A - 2P+E SWITCHED - 1-GANG - MAGNESIUM**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	956,00

Product characteristics**Double pole socket outlets 5 A - 250 V~**

- Shuttered for child safety
- Conform to BS 546
- Use special plates

2P+E switched - 1 gang

- Magnesium

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 727 58

**DOUBLE POLE SOCKET ARTEOR - BS 546 - 5 A - 2P+E
SWITCHED - 1-GANG - CHAMPAGNE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	813,00

Product characteristics**Double pole socket outlets 5 A - 250 V~**

- Shuttered for child safety
- Conform to BS 546
- Use special plates

2P+E switched - 1 gang

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 727 21

**DOUBLE POLE SOCKET ARTEOR - BS 546 - 5 A - 2P+E
SWITCHED - 1-GANG - SOFT ALU**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	814,00

Product characteristics**Double pole socket outlets 5 A - 250 V~**

- Shuttered for child safety
- Conform to BS 546
- Use special plates

2P+E switched - 1 gang

- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 50

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED - WHITE**

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	459,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched

- White

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

**Agreements & certificates of conformity**

- [T.R - S09EEC00078/MLM/PKS](#)

CAT. N° 5 726 50



FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED - MAGNESIUM

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	451,00

Product characteristics

Fused connection units

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched

- Magnesium

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 726 75

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED - CHAMPAGNE**

Pack (number of units)	O/R
Volume (dm ³)	O/R
Weight (g)	O/R

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 726 74

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED - SOFT ALU**

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	452,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched

- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 51

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED + NEON - WHITE**

Pack (number of units)	5
Volume (dm ³)	1,756
Weight (g)	477,00

Product characteristics**Fused connection units**


- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched + neon

- White


General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation **Catalogue pages & additional information**

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 726 51



FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED + NEON - MAGNESIUM

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	456,00

Product characteristics

Fused connection units

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched + neon

- Magnesium

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Catalogue pages & additional information

- [Selection chart \(p.448\)](#)
- [Description page \(p.463\)](#)

CAT. N° 5 726 77



FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED + NEON - CHAMPAGNE

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	465,00

Product characteristics

Fused connection units

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched + neon

- Champagne

General characteristics

Arteor™ British standard socket outlets

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 726 76

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - SWITCHED + NEON - SOFT ALU**

Pack (number of units)	5
Volume (dm ³)	1,718
Weight (g)	461,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Switched + neon

- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 57

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - UNSWITCHED - WHITE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	881,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Unswitched

- White


General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Description page \(p.463\)](#)

CAT. N° 5 726 57

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A -
UNSWITCHED - MAGNESIUM**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	881,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Unswitched

- Magnesium

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Catalogue pages & additional information**

- [Description page \(p.463\)](#)

CAT. N° 5 726 79

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A - UNSWITCHED - CHAMPAGNE**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	886,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Unswitched

- Champagne

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 726 78

**FUSED CONNECTION UNIT ARTEOR - BS 1363:4 - 13 A -
UNSWITCHED - SOFT ALU**

Pack (number of units)	10
Volume (dm ³)	2,948
Weight (g)	885,00

Product characteristics**Fused connection units**

- Double pole fused 13 A (fuse supplied)
- Flex outlet knockout and cord grip
- Captive fuse carrier (padlockable)
- Captive terminal screws
- Conform to BS 1363: part 4
- Use special plates

Unswitched

- Soft Alu

General characteristics**Arteor™ British standard socket outlets**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation

CAT. N° 5 721 56



BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A CHARGER ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - WHITE

Pack (number of units)	1
Volume (dm ³)	0,306
Weight (g)	103,00

Product characteristics

British standard socket outlets - 13 A - 250 V~ with USB charger

- Conform to BS 1363-2

1 gang single pole switched USB Type-A 2.4 A - 5 V= - 12 W

- Consumption in passive mode
- White

General characteristics

Arteor™ British standard socket outlets with USB charger

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Installation & technical data

- [F02761EN-02](#)



Agreements & certificates of conformity

- [OC / CB - C-63 SE-88179M2](#)
- [T R - BS TR](#)
- [OC / CB - SE-101858](#)

CAT. N° 5 726 56



BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A CHARGER ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - MAGNESIUM

Pack (number of units)	1
Volume (dm ³)	0,306
Weight (g)	103,00

Product characteristics

British standard socket outlets - 13 A - 250 V~ with USB charger

- Conform to BS 1363-2

1 gang single pole switched USB Type-A 2.4 A - 5 V= - 12 W

- Consumption in passive mode
- Magnesium

General characteristics

Arteor™ British standard socket outlets with USB charger

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation



Installation & technical data

- [F02761EN-02](#)



Agreements & certificates of conformity

- [OC / CB - C-63 SE-88179M2](#)
- [T R - BS TR](#)
- [OC / CB - SE-101858](#)

CAT. N° 5 710 80

**BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A CHARGER ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - CHAMPAGNE**

Pack (number of units)	1
Volume (dm ³)	0,306
Weight (g)	104,00

Product characteristics**British standard socket outlets - 13 A - 250 V~ with USB charger**

- Conform to BS 1363-2

1 gang single pole switched USB Type-A 2.4 A - 5 V= - 12 W

- Consumption in passive mode
- Champagne

General characteristics**Arteor™ British standard socket outlets with USB charger**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Installation & technical data**

- [F02761EN-02](#)

**Agreements & certificates of conformity**

- [OC / CB - FR-708240/M1](#)
- [T R - BS TR](#)
- [OC / CB - SE-101858](#)

CAT. N° 5 700 80

**BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A CHARGER ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - SOFT ALU**

Pack (number of units)	1
Volume (dm ³)	0,306
Weight (g)	104,00

Product characteristics**British standard socket outlets - 13 A - 250 V~ with USB charger**

- Conform to BS 1363-2

1 gang single pole switched USB Type-A 2.4 A - 5 V= - 12 W

- Consumption in passive mode
- Soft Alu

General characteristics**Arteor™ British standard socket outlets with USB charger**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Installation & technical data**

- [F02761EN-02](#)

**Agreements & certificates of conformity**

- [OC / CB - FR-708240/M1](#)
- [T R - BS TR](#)
- [OC / CB - SE-101858](#)

CAT. N° 5 710 81

**BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A+C CHARGERS ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - CHAMPAGNE**

Pack (number of units)	1
Volume (dm ³)	0,502
Weight (g)	167,00

Product characteristics**British standard socket outlets - 13 A - 250 V~ with USB charger**

- Conform to BS 1363-2

2 gang single pole switched USB Type-A + Type-C 3 A - 5 V= - 15 W

- Consumption in passive mode
- Champagne

General characteristics**Arteor™ British standard socket outlets with USB charger**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Installation & technical data**

- [F02761EN-02](#)

**Agreements & certificates of conformity**

- [OC / CB - FR-709057](#)
- [OC / CB - SE-102292](#)
- [T R - BS TR](#)

CAT. N° 5 700 81

**BRITISH STANDARD SOCKET OUTLET WITH USB TYPE-A+C CHARGERS ARTEOR - 13A 250V~ 1 GANG SINGLE POLE SWITCHED - SOFT ALU**

Pack (number of units)	1
Volume (dm ³)	0,502
Weight (g)	169,00

Product characteristics**British standard socket outlets - 13 A - 250 V~ with USB charger**

- Conform to BS 1363-2

2 gang single pole switched USB Type-A + Type-C 3 A - 5 V= - 15 W

- Consumption in passive mode
- Soft Alu

General characteristics**Arteor™ British standard socket outlets with USB charger**

- Mechanisms supplied with rocker plates, to be equipped with special plates
- Support frame not needed

Documentation**Installation & technical data**

- [F02761EN-02](#)

**Agreements & certificates of conformity**

- [OC / CB - FR-709057](#)
- [OC / CB - SE-102292](#)
- [T R - BS TR](#)