

## 6.5" NARROW EDGE CEILING SPEAKER WITH ALUMINIUM MESH 6W



### DESCRIPTION

The NVS-10090006CS is a Narrow Edge surface mount ceiling speaker with a 70V/100V transformer built in. The 70V/100V transmission is realized in a high-voltage, low-current mode, which makes longer distance transmission and parallel connection of multiple loudspeakers possible. It's easy to install with strong clip, and made of high-quality engineering plastic, which is durable, non-deformable and non-fading. It is an ideal choice for these places, such as schools, gymnasiums, square halls, parks, parking lots, railway stations, airports, villa communities and mall supermarkets, etc.

### FEATURES


- ⊙ Aluminium mesh
- ⊙ Easy installation
- ⊙ Durable plastic
- ⊙ Damping for dangling edge

Specifications	
<b>Model</b>	<b>NVS-10090006CS</b>
Rated Power	6W
Driver Size	6.5" inch
Frequency Response	110Hz-15KHz
Power Taping Options	3/6W
Cutout size	Ø165-170mm
Coverage Angle	175°
Connector type	Quick push type lock
Input Voltage/Impedance	70V/100V
Sensitivity(1m,1w)	90dB±2dB
Maximum SPL(1m)	97dB±2dB
Operating temperature	-25°C~+57°C
Dimension	Ø190.5x70mm
Weight	0.6Kg

# 6.5" NARROW EDGE CEILING SPEAKER WITH ALUMINIUM MESH 6W


## FREQ. RESPONSE

(dB SPL, 1W, 1m)





## DISTORTION

(THD < 1.5% 1W,1m 200Hz-10kHz)



## DIMENSION



## ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-10090006CS	6.5" NARROW EDGE CEILING SPEAKER WITH ALUMINIUM MESH 6W	01