


## 6.5" NARROW EDGE COAXIAL CEILING SPEAKER 10W



### DESCRIPTION

The NVS-10150010CS is a coaxial two-way Ceiling Speaker. It has a huge output power and a wide range of sound dispersal. Installation is simple, speech and music can be reproduced. It's an excellent alternative for you if you require a ceiling speaker with excellent sound quality. It is an ideal choice for places such as, schools, square halls, parking lots, railway stations, airports, villa communities and mall supermarkets, recreation facilities.


### FEATURES

- ⊙ Strong voice/music reproduction
- ⊙ Thin edge design
- ⊙ Aluminum mesh with RAL white coating



Specifications	
Model	NVS-10150010CS
Rated power	10W
Driver Size	6.5"x1, 0.75"x1
Frequency Response	90Hz-18KHz
Input Voltage/Impedance	100V
Coverage Angle	175°
Input connection	Two-wire Cable
Cutout size	Ø180
Sensitivity(1m,1w)	93dB±2dB
Maximum SPL(1m)	103dB±2dB
Operating temperature	-25°C~+57°C
Dimension	Ø190×80mm
Weight	1Kg

# 6.5" NARROW EDGE COAXIAL CEILING SPEAKER 10W

**FREQ. RESPONSE**  
(dB SPL, 1W, 1m)




**DISTORTION**  
(THD < 1.5% 1W, 1m 200Hz-10kHz)



— 250 Hz	- - - 2000 Hz
- - - 500 Hz	- · - · - 4000 Hz
— 1000 Hz	- · - · - 8000 Hz

**VERTICAL DIRECTIVITY PATTERN**




— 250 Hz	- - - 2000 Hz
- - - 500 Hz	- · - · - 4000 Hz
— 1000 Hz	- · - · - 8000 Hz

**HORIZONTAL DIRECTIVITY PATTERN**

**NVS-10150010CS**

# 6.5" NARROW EDGE COAXIAL CEILING SPEAKER 10W

## DIMENSION



## ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-10150010CS	6.5" NARROW EDGE COAXIAL CEILING SPEAKER 10W	01