

NVS-10500020WS



20W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)



WALL MOUNT SPEAKER

DESCRIPTION

The NVS-10500020WS is a wall mount speaker with a built-in transformer of 70V/100V. The transmission is realized in a high-voltage, low-current mode, which makes longer distance transmission and parallel connection of multiple loudspeakers possible. Metal grille and ABS enclosure of black color, long-term durability, never out of shape and fading, high sensitivity, clear and sonorous sound. Easy and secure wall mount installation by hanging holes. It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.


FEATURES

- ⊙ Metal grille
- ⊙ High sensitivity
- ⊙ Black color
- ⊙ Equipped with hanging holes


Specifications	
Model	NVS-10500020WS
Rated Power	20W
Driver Unit	4"×1, 1"×1
Frequency Response	95Hz-20kHz
Power Taping Options	2/4/8/15/20W
Input Voltage/Impedance	70V/100V, 8Ω
Sensitivity(1m,1w)	92dB±2dB
Max SPL(1m)	105dB±2dB
Coverage angle(HxV)	120°×80°
Input Connector	Two-wire cable
Operating temperature	-25°C~+55°C
Material	ABS Plastic
Weight	2.6 kg
Dimensions (H×W×D)	255×176×170mm

20W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)


FREQ. RESPONSE
(dB SPL, 1W, 1m)




DISTORTION
(THD < 5% 1W, 1m, 100Hz-10kHz)




VERTICAL DIRECTIVITY PATTERN



HORIZONTAL DIRECTIVITY PATTERN



DIMENSION



NVS-10500020WS



20W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-10500020WS	20W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)	01

ACCESSORIES INFORMATION

Description	Standard Quantity
User Manual	01
U-Shape bracket	01