

NVS-10540040WS



40W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)



WALL MOUNT SPEAKER

DESCRIPTION

The NVS-10540040WS is a wall mount speaker with built-in 70V/100V transformer, which makes longer distance transmission and parallel connection of multiple loudspeakers possible. It has strong fire resistant ABS body & metal grill which will ensure long term durability. It comes with metal wall mount brackets for easy installation. It is ideal choice for conference rooms, BGM, etc.


FEATURES

- Fire-resistant ABS
- Metal grill
- Separate LF & HF drivers
- Wall-mount bracket


Specifications	
Model	NVS-10540040WS
Rated Power	40W
Driver Unit	6.5"×1, 1"×1
Frequency Response	65Hz-20kHz
Power Taping Options	2.5/5/10/20/40W
Input Voltage/Impedance	70V/100V/8Ω
Sensitivity(1m,1w)	93dB±2dB
Max SPL(1m)	109dB±2dB
Coverage angle(HxV)	120°×80°
Input Connector	Two-wire cable
Operating temperature	-25°C~+55°C
Material	ABS Plastic
Weight	4.6 kg
Dimensions (HxWxD)	310×215×203mm

40W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)


FREQ. RESPONSE
(dB SPL, 1W, 1m)




DISTORTION
(THD < 5% 1W, 1m, 100Hz-10kHz)




VERTICAL DIRECTIVITY PATTERN



HORIZONTAL DIRECTIVITY PATTERN



DIMENSION



NVS-10540040WS



40W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-10540040WS	40W BOX SPEAKER WITH WALL MOUNT BRACKET (BLACK)	01

ACCESSORIES INFORMATION

Description	Standard Quantity
User Manual	01
U-Shape bracket	01