

Table Embedded Delegate Microphone with Voting Function



DESCRIPTION

The NVS-DC600102CM is a Table Embedded Chairman Microphone with Voting Function. It is usually used together with its chairman unit NVS-DC600091CM. Priority functions, camera tracking function, unique ID code can be set up using the host NVS-DC600013CH or PC software. It combines a sleek design, removable mic rod, ease of use, and strong anti-interference.

FEATURES

- ⊙ Meet IEC 60914 international standard
- ⊙ Mic pole detachable
- ⊙ Convenient for use
- ⊙ Integrated with functions of speech and voting
- ⊙ With 5 buttons for voting, with sign-in function
- ⊙ Support cascaded linkage, T shape linkage or + shape linkage
- ⊙ Power supply from the host/extender
- ⊙ 3.5mm stereo earphone jack, volume adjustable
- ⊙ Embedded design
- ⊙ Built-in LCD screen
- ⊙ Electret cardioid condenser microphone with two-color indicator ring , gooseneck design, with windshield cover


Specifications

Model	NVS-DC600102CM
Signal to Noise Ratio	>80dB
Total Harmonic Distortion	<0.5%
Sensitivity	-45dBV/pa
Mic Frequency Response	40Hz-20kHz(-3dB)
Mic Maximum SPL	125dB(THD<3%)
Earphone Output Connector	3.5mm
Earphone Output Sensitivity	9dBu
Earphone Output Impedance	8Ω-32Ω
Stand-by Power Consumption	<1W
Maximum Power Consumption	2W

Table Embedded Delegate Microphone with Voting Function

Power Supply	DC 24V
Net Weight	1 kg
Outer Dimensions [L×W×H]	215×86×75mm
Panel Dimensions [L×W×H]	215×86×6mm
Chassis Dimensions [L×W]	198×68mm

FRONT PANEL



1. 5-Pin Mic Jack
2. LCD Display
3. 3.5mm Headphone Jack
4. "- -" Button
5. "-" Button
6. "0" Button
7. "+" Button
8. "++" Button
9. Mic On/Off Button

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-DC600102CM	Table Embedded Delegate Microphone with Voting Function	01

ACCESSORIES INFORMATION

Description	Standard Quantity
Cross-shaped Connector	1
8-pin Cable (Male-Female)	1
Cross Recessed Half-round Head Screw Bright Black	1
Chassis Accessory	1
Butterfly-shaped Screw	1
Microphone Cap	1